



# Decibel S.A.

31, rue des Bosquets  
CH1800 Vevey  
tel. (021) 925 30 00  
fax (021) 925 30 10  
email: sales@decibel.ch

# LISTE DE PRIX 01/2023

Edition du 30.01.2023

Prix en francs suisses, TVA 7,7% incluse (TTC) ou exclue (HT)  
Sous réserve de modification en tout temps.

get our price lists from our web site: <https://www.decibel.ch>

## PATHOS ACOUSTICS

### AMPLIFIERS

<https://www.pathosacoustics.com>



CODE ARTICLE	DESCRIPTION	PRIX TTC	PRIX HT	CR
<b>INPOL AMPLIFIERS PURE CLASS A</b>				
Inpol Remix MK2 matt metallic black	REMIXMKII - integrated amplifier, 2x20W@ 8 Ohm, 2x35W@ 4 Ohm Pure class A - double INPOL technology - digital Bias/gain set technology, 4 line inputs RCA and 1 balanced XLR, pre output inverting and non-inverting, matt metallic black	5'438.00	5'049.21	L
Inpol Remix MK2 lacquered black	REMIXMKII - integrated amplifier, 2x20W@ 8 Ohm, 2x35W@ 4 Ohm Pure class A - double INPOL technology - digital Bias/gain set technology, 4 line inputs RCA and 1 balanced XLR, pre output inverting and non-inverting, lacquered black	5'928.00	5'504.18	L
Inpol Remix MK2 lacquered red	REMIXMKII - integrated amplifier, 2x20W@ 8 Ohm, 2x35W@ 4 Ohm Pure class A - double INPOL technology - digital Bias/gain set technology, 4 line inputs RCA and 1 balanced XLR, pre output inverting and non-inverting, lacquered red	5'928.00	5'504.18	L
Inpol Remix MK2 lacquered white	REMIXMKII - integrated amplifier, 2x20W@ 8 Ohm, 2x35W@ 4 Ohm Pure class A - double INPOL technology - digital Bias/gain set technology, 4 line inputs RCA and 1 balanced XLR, pre output inverting and non-inverting, lacquered white	5'928.00	5'504.18	L
TT ANNIVERSARY Black	TTANNIVERSARY - integrated amplifier, 2x35W@ 8 Ohm - Pure class A - INPOL technology, Purely resistive optical/relays remote controlled volume - remote controlled input selector, 4 line inputs RCA and 1 balanced XLR, sub out, Black	7'158.00	6'646.24	L
TT ANNIVERSARY Padouk Wood	TTANNIVERSARY - integrated amplifier, 2x35W@ 8 Ohm - Pure class A - INPOL technology, Purely resistive optical/relays remote controlled volume - remote controlled input selector, 4 line inputs RCA and 1 balanced XLR, sub out, Padouk wood	7'158.00	6'646.24	L
TT REMOTE REFERENCE Black	TTREMOTE REFERENCE - integrated amplifier, 2 x 35W@ 8 Ohm- Pure class A - INPOL technology, Purely resistive optical/relays remote controlled volume 5 line inputs RCA, 1 tape out, Black side panels	6'718.00	6'237.70	L
TT REMOTE REFERENCE PADOUK WOOD	TTREMOTE REFERENCE - integrated amplifier, 2 x 35W@ 8 Ohm- Pure class A - INPOL technology, Purely resistive optical/relays remote controlled volume 5 line inputs RCA, 1 tape out, Padouk Wood side panels	6'718.00	6'237.70	L
INPOL2 MK2 Black	INPOL2 MK2 - Integrated amplifier, 2x45W@ 8 Ohm - Pure class A - double INPOL technology - fully balanced, Purely resistive relays remote controlled volume 5 line inputs RCA and 2 balanced XLR, sub out, Black front panel	10'798.00	10'026.00	L
INPOL2 MK2 Padouk Wood	INPOL2 MK2 - Integrated amplifier, 2x45W@ 8 Ohm - Pure class A - double INPOL technology - fully balanced, Purely resistive relays remote controlled volume 5 line inputs RCA and 2 balanced XLR, sub out, Padouk Wood front panel	10'798.00	10'026.00	L
INPOL Heritage Black Black	INPOL HERITAGE - integrated amplifier without compromises, 2x80W@ 8 Ohm, 2x130W@ 4 Ohm, Pure class A - double INPOL technology, 4 line inputs RCA and 2 balanced XLR, Black Black	15'798.00	14'668.52	L
INPOL Heritage Black Padouk	INPOL HERITAGE - integrated amplifier without compromises, 2x80W@ 8 Ohm, 2x130W@ 4 Ohm, Pure class A - double INPOL technology, 4 line inputs RCA and 2 balanced XLR, Black Padouk	15'798.00	14'668.52	L
INPOL Heritage White Black	INPOL HERITAGE - integrated amplifier without compromises, 2x80W@ 8 Ohm, 2x130W@ 4 Ohm, Pure class A - double INPOL technology, 4 line inputs RCA and 2 balanced XLR, White Black	14'898.00	13'832.87	L
INPOL Heritage White Padouk	INPOL HERITAGE - integrated amplifier without compromises, 2x80W@ 8 Ohm, 2x130W@ 4 Ohm, Pure class A - double INPOL technology, 4 line inputs RCA and 2 balanced XLR, White Padouk	14'898.00	13'832.87	L

InPoL Legacy Black Padouk	<b>new!</b> Amplificateur intégré, 100W @ 8 Ohm, Pure classe A, double technologie INPOL, tubes : 2x ECC803s TungSol, 1x 6H30 par canal, 3 entrées ligne RCA et 3 XLR symétriques, padouk noir	54'938.00	51'010.21	L
InPoL Legacy Black Black	<b>new!</b> Amplificateur intégré, 100W @ 8 Ohm, Pure classe A, double technologie INPOL, tubes : 2x ECC803s TungSol, 1x 6H30 par canal, 3 entrées ligne RCA et 3 XLR symétriques, noir noir	54'938.00	51'010.21	L
INPOWER MK2 Black and Grey	INPOWER MKII - monoblock power amplifier, 120W @ 8 Ohm - Pure class A - double INPOL technology, Accurate power supply inductive-capacitance, Adjustable gain by remote control, 1 line input RCA and 1 balanced XLR, Black and Grey	11'658.00	10'824.51	L
INPOWER MK2 Matt Metallic	INPOWER MKII - monoblock power amplifier, 120W @ 8 Ohm - Pure class A - double INPOL technology, Accurate power supply inductive-capacitance, Adjustable gain by remote control, 1 line input RCA and 1 balanced XLR, Matt Metallic	11'658.00	10'824.51	L
ADRENALIN Black and Grey	ADRENALIN - monoblock power amplifier, 200W @ 8 Ohm - Pure class A - double INPOL technology, Accurate power supply inductive-capacitance, Tubes: 2x ECC83 12AX7 SOVTEK, 1x 6H30 SOVTEK, 1 line inputs RCA and 1 balanced XLR, Black and Grey	21'998.00	20'425.26	L
ADRENALIN Matt Metallic	ADRENALIN - monoblock power amplifier, 200W @ 8 Ohm - Pure class A - double INPOL technology, Accurate power supply inductive-capacitance, Tubes: 2x ECC83 12AX7 SOVTEK, 1x 6H30 SOVTEK, 1 line inputs RCA and 1 balanced XLR, Matt Metallic	21'998.00	20'425.26	L
<b>NON-INPOL AMPLIFIERS</b>				
CLASSIC ONE MK3 Black	CLASSIC ONEMK3 - Integrated amplifier, 2x70W@ 8 Ohm - class A / AB - Hybrid technology, 4 line inputs RCA and 1 balanced XLR, purely resistive volume control, Black	3'158.00	2'932.22	L
CLASSIC ONE MK3 Padouk Wood	CLASSIC ONEMK3 - Integrated amplifier, 2x70W@ 8 Ohm - class A / AB - Hybrid technology, 4 line inputs RCA and 1 balanced XLR, purely resistive volume control, Padouk Wood	3'158.00	2'932.22	L
CLASSIC REMIX Matt Metallic	CLASSIC REMIX - integrated amplifier, 2x70W@ 8 Ohm - class A/AB - Hybrid technology - fully balanced, 3 line inputs RCA + 1 balanced XLR, matt metallic black	3'378.00	3'136.49	L
CLASSIC REMIX lacquered black	CLASSIC REMIX - integrated amplifier, 2x70W@ 8 Ohm - class A/AB - Hybrid technology - fully balanced, 3 line inputs RCA + 1 balanced XLR, lacquered Black	3'858.00	3'582.17	L
CLASSIC REMIX lacquered red	CLASSIC REMIX - integrated amplifier, 2x70W@ 8 Ohm - class A/AB - Hybrid technology - fully balanced, 3 line inputs RCA + 1 balanced XLR, lacquered Red	3'858.00	3'582.17	L
CLASSIC REMIX lacquered white	CLASSIC REMIX - integrated amplifier, 2x70W@ 8 Ohm - class A/AB - Hybrid technology - fully balanced, 3 line inputs RCA + 1 balanced XLR, lacquered White	3'858.00	3'582.17	L
CLASSIC REMIX Zebra Wood	CLASSIC REMIX - integrated amplifier, 2x70W@ 8 Ohm - class A/AB - Hybrid technology - fully balanced, 3 line inputs RCA + 1 balanced XLR, Zebra wood	3'858.00	3'582.17	L
Logos MK2 BLACK	LOGOSMK2 - integrated amplifier, 2 x 110W@ 8 Ohm - class A / AB - Hybrid technology, 5 line inputs RCA and 2 balanced XLR, pre out, S/PDIF and USB digital inputs optional (HiDac required), Black	5'148.00	4'779.94	L
Logos MK2 Padouk Wood	LOGOSMK2 - integrated amplifier, 2 x 110W@ 8 Ohm - class A / AB - Hybrid technology, 5 line inputs RCA and 2 balanced XLR, pre out, S/PDIF and USB digital inputs optional (HiDac required), Padouk wood	5'148.00	4'779.94	L
KRATOS Black	KRATOS - integrated amplifier, 2x200WRMS@ 8 Ohm - 2x350WRMS @ 4 Ohm 2 balanced XRL line, 5 unbalanced RCA line, 1 balanced XRL direct to the power amp, 1 Pre out stereo unbalanced RCA - 1 Pre out stereo balanced XLR, Black	10'118.00	9'394.61	L
KRATOS Padouk Wood	KRATOS - integrated amplifier, 2x200WRMS@ 8 Ohm - 2x350WRMS @ 4 Ohm 2 balanced XRL line, 5 unbalanced RCA line, 1 balanced XRL direct to the power amp, 1 Pre out stereo unbalanced RCA - 1 Pre out stereo balanced XLR, Padouk Wood	10'118.00	9'394.61	L
<b>CLASS D AMPLIFIERS</b>				
AMPLI D Black	AMPLID - Stereo power amplifier, 2x70W@ 8 Ohm - class D - fully balanced 1 line inputs RCA and 1 balanced XLR, black	1'738.00	1'613.74	L
AMPLI D Grey	AMPLID - Stereo power amplifier, 2x70W@ 8 Ohm - class D - fully balanced 1 line inputs RCA and 1 balanced XLR, grey	1'738.00	1'613.74	L

**PATHOS ACOUSTICS****PREAMPLIFIERS**<https://www.pathosacoustics.com>

CODE ARTICLE	DESCRIPTION	PRIX TTC	PRIX HT CR	
<b>PREAMPLIFIERS</b>				
SYNAPSE Matt metallic Grey	SYNAPSE - stereo preamplifier, Two-stage construction - intrinsically balanced design - original volume block, tubes 4 x 6H30, Input: 3 Balanced XRL, 3 linea RCA, Output: 2 Balanced XRL, Matt Metallic Grey	24'598.00	22'839.37	L
INCONTROL MK2 Matt Metallic Black	INCONTROLMK2 - stereo preamplifier, Pure class A, fully balanced, Input: 2 balanced XLR, 4 unbalanced RCA, Output: 1 balanced XLR, 1 unbalanced RCA, Matt Metallic Black	7'228.00	6'711.23	L
INCONTROL MK2 Padouk Wood	INCONTROLMK2 - stereo preamplifier, Pure class A, fully balanced, Input: 2 balanced XLR, 4 unbalanced RCA, Output: 1 balanced XLR, 1 unbalanced RCA, Padouk Wood	7'228.00	6'711.23	L
In The Groove, Black	INTHEGROOVE - MM/MC phono stage, Ultra low noise design - two-stage construction, Selectable gain - Input load selectable - balanced output, Black	1'868.00	1'734.45	L
In The Groove, Silver	INTHEGROOVE - MM/MC phono stage, Ultra low noise design - two-stage construction, Selectable gain - Input load selectable - balanced output, Silver	1'868.00	1'734.45	L
<b>DIGITAL SOURCES</b>				
Converto MK2, Black	CONVERTOMK2 - D/A, converter, preamplifier and headphone amplifier, 32 bit/384KHz with DSD and I2S - class A - fully balanced, S/PDIF inputs - USB "B" type port digital inputs, Black	1'988.00	1'845.87	L
Converto MK2, Silver	CONVERTOMK2 - D/A, converter, preamplifier and headphone amplifier, 32 bit/384KHz with DSD and I2S - class A - fully balanced, S/PDIF inputs - USB "B" type port digital inputs, Silver	1'988.00	1'845.87	L
Converto MK2 RR, Black	CONVERTOMK2-RR - D/A, converter, preamplifier and headphone amplifier, 32 bit/384KHz with DSD and I2S - class A - fully balanced, S/PDIF inputs - USB "B" type port digital inputs, Black	2'238.00	2'077.99	L
Converto MK2 RR, Silver	CONVERTOMK2-RR - D/A, converter, preamplifier and headphone amplifier, 32 bit/384KHz with DSD and I2S - class A - fully balanced, S/PDIF inputs - USB "B" type port digital inputs, Black	2'238.00	2'077.99	L
<b>HEADPHONE AMPLIFIERS</b>				
Aurium Black	AURIUM - Headphone amplifier, 2 x 3,6W @ 16 Ohm - output impedance <10hm - Class A tube amplification, Black	1'578.00	1'465.18	L
Aurium Silver	AURIUM - Headphone amplifier, 2 x 3,6W @ 16 Ohm - output impedance <10hm - Class A tube amplification, Silver	1'578.00	1'465.18	L
InPol EAR matt metallic black	INPOLEAR - Headphone amplifier and preamplifier, 2x8W@ 32 Ohm - Pure Class A - double INPOL technology - fully balanced, 4 line inputs RCA and balanced XLR, pre output inverting and non inverting, Matt Metallic Black	5'178.00	4'807.80	L
InPol EAR lacquered black	INPOLEAR - Headphone amplifier and preamplifier, 2x8W@ 32 Ohm - Pure Class A - double INPOL technology - fully balanced, 4 line inputs RCA and balanced XLR, pre output inverting and non inverting, lacquered Black	5'678.00	5'272.05	L
InPol EAR lacquered red	INPOLEAR - Headphone amplifier and preamplifier, 2x8W@ 32 Ohm - Pure Class A - double INPOL technology - fully balanced, 4 line inputs RCA and balanced XLR, pre output inverting and non inverting, lacquered Red	5'678.00	5'272.05	L
InPol EAR lacquered white	INPOLEAR - Headphone amplifier and preamplifier, 2x8W@ 32 Ohm - Pure Class A - double INPOL technology - fully balanced, 4 line inputs RCA and balanced XLR, pre output inverting and non inverting, lacquered White	5'678.00	5'272.05	L
InPol EAR lacquered zebrawood	INPOLEAR - Headphone amplifier and preamplifier, 2x8W@ 32 Ohm - Pure Class A - double INPOL technology - fully balanced, 4 line inputs RCA and balanced XLR, pre output inverting and non inverting, Zebrawood	5'678.00	5'272.05	L

**OPTIONALS**

HiDAC MK2	HiDac MK2 D/A converter built-in - Pcb with converter D/A 32bit/384kHz with DSD and I2S codec to be integrated, S/PDIF inputs - USB "B" type port digital inputs	698.00	648.10	L
HiDAC MK2 KRATOS	HiDac MK2 KRATOS- Module with additional digital connections, including HiDac Mk2 board, 1 optic S/PDIF input - 1 RCA S/PDIF input - 2 USB "B" type port digital inputs	738.00	685.24	L

**DISPONIBILITE DES NOUVEAUX PRODUITS**

Les produits avec label **new!** sont des produits nouveaux pour lesquels les délais de livraison peuvent être importants. Merci de vous renseigner sur leur disponibilité avant de les proposer à vos clients.

**VALIDITE DES PRIX**

Les variations importantes des cours de change entre le franc suisse et les principales devises ne nous permettent plus de garantir nos prix au delà de 30 jours. Nous nous réservons le droit d'adapter nos prix en tout temps et sans préavis. En cas de doute, vous pouvez consulter notre site internet <http://www.decibel.ch> ou nous demander une offre.