



Decibel S.A.

31, rue des Bosquets
CH1800 Vevey
tel. (021) 925 30 00
fax (021) 925 30 10
email: sales@decibel.ch

LISTE DE PRIX 01/2023

Edition du 01.01.2023

Prix en francs suisses, TVA 7,7% incluse (TTC) ou exclue (HT)
Sous réserve de modification en tout temps.

get our price lists from our web site: <https://www.decibel.ch>

SHUNYATA POWER CABLES

<http://shunyata.com/>



CODE ARTICLE	DESCRIPTION	PRIX TTC	PRIX HT	CR
Venom Line				
VNM/M-VHC-V2-EU/C15	Venom HC V2, Câble secteur 1,50M Schuko/C15 (molded)	478.00	443.83	H
VNM-V10/NR-EU/C15	Venom NR V10 Power cable 1,75M Schuko/C15	778.00	722.38	H
VNM-V10/NR-SW/C15	Venom NR V10 Power cable 1,75M Swiss/C15	778.00	722.38	H
VNM-V10/NR-EU/C19	Venom NR V10 Power cable 1,75M Schuko/C19	778.00	722.38	H
VNM-V10/NR-SW/C19	Venom NR V10 Power cable 1,75M Swiss/C19	778.00	722.38	H
VNM-V10/NR-LEN	Venom NR V10 additional length 0,25M	48.00	44.57	H
VNM-X/EF-EU-C15	Venom-X EF, Câble secteur 1,75 EU/C15	998.00	926.65	H
VNM-X/EF-EU-LEN	Venom-X EF, longueur additionnelle 0.25m	38.00	35.28	H
NR Reference Series				
DLT/NR-V2-EU/C15	Delta V2 NR Power cable 1,75M Schuko/C15	1'778.00	1'650.88	H
DLT/NR-V2-SW/C15	Delta V2 NR Power cable 1,75M CH/C15	1'778.00	1'650.88	H
DLT/NR-V2-EU/C19	Delta V2 NR Power cable 1,75M Schuko/C19	1'778.00	1'650.88	H
DLT/NR-V2-SW/C19	Delta V2 NR Power cable 1,75M CH/C15	1'778.00	1'650.88	H
DLT/NR-LEN	Delta NR additional length 0,25M	88.00	81.71	H
ALP/NR-V2-EU/C15	Alpha v2 NR Power cable 1,75M Schuko/C15	2'978.00	2'765.09	H
ALP/NR-V2-SW/C15	Alpha v2 NR Power cable 1,75M Swiss/C15	2'978.00	2'765.09	H
ALP/NR-V2-EU/C19	Alpha v2 NR Power cable 1,75M Schuko/C19	2'978.00	2'765.09	H
ALP/NR-V2-SW/C19	Alpha v2 NR Power cable 1,75M Swiss/C19	2'978.00	2'765.09	H
ALP/NR-LEN	Alpha NR additional length 0,25M	138.00	128.13	H
SIG/NR-V2-EU/C15	Sigma v2 NR Power cable 1,75M Schuko/C15	4'148.00	3'851.44	H
SIG/NR-V2-SW/C15	Sigma v2 NR Power cable 1,75M Swiss/C15	4'148.00	3'851.44	H
SIG/NR-V2-EU/C19	Sigma v2 NR Power cable 1,75M Schuko/C19	4'148.00	3'851.44	H
SIG/NR-V2-SW/C19	Sigma v2 NR Power cable 1,75M Swiss/C19	4'148.00	3'851.44	H
SIG/NR-LEN	Sigma NR additional length 0,25M	188.00	174.56	H
OMG/QR-EU/C15	Omega QR Power cable 2M Schuko/C15	10'658.00	9'896.01	H
OMG/QR-EU/C19	Omega QR Power cable 2M Schuko/C19	10'658.00	9'896.01	H

OMG/QR-LEN	Omega QR additional length 0,25M	518.00	480.97	H
OMG/QRs-EU/C15	Omega QR-S Power cable 2M C15	8'878.00	8'243.27	H
OMG/QRs-EU/C19	Omega QR-S Power cable 2M C19	8'878.00	8'243.27	H
OMG/QRS-LEN	Omega QR-S additional length 0,25M	418.00	388.12	H
XC Line				
VNM-V10/XC-EU/C15	VENOM XC Series - Power conditioners, power cables, 1,75M EU/C15	718.00	666.67	H
VNM-V10/XC-SW/C15	VENOM XC Series - Power conditioners, power cables, 1,75M Swiss/C15	718.00	666.67	H
VNM-V10/XC-EU/C19	VENOM XC Series - Power conditioners, power cables, 1,75M EU/C19	718.00	666.67	H
VNM-V10/XC-SW/C19	VENOM XC Series - Power conditioners, power cables, 1,75M SW/C19	718.00	666.67	H
VNM-V10/XC-LEN	VENOM XC Series - Power conditioners, power cables, Additional Length 0,25 m.	48.00	44.57	H
DLT/XC-EU/C15	DELTA v2 XC Series - Power conditioners, power cables 1.75M EU/C15	1'648.00	1'530.18	H
DLT/XC-SW/C15	DELTA v2 XC Series - Power conditioners, power cables 1.75M Swiss/C15	1'648.00	1'530.18	H
DLT/XC-EU/C19	DELTA v2 XC Series - Power conditioners, power cables 1.75M EU/C19	1'648.00	1'530.18	H
DLT/XC-SW/C19	DELTA v2 XC Series - Power conditioners, power cables 1.75M Swiss/C19	1'648.00	1'530.18	H
DLT/XC-LEN	DELTA v2 XC Series - Power conditioners, power cables, Additional Length 0,25 m.	88.00	81.71	H
ALP/XC-EU/C15	Alpha V2 XC Series - Power conditioners, power cable 1.75M EU/C15	2'728.00	2'532.96	H
ALP/XC-SW/C15	Alpha V2 XC Series - Power conditioners, power cable 1.75M Swiss/C15	2'728.00	2'532.96	H
ALP/XC-EU/C19	Alpha V2 XC Series - Power conditioners, power cable 1.75M EU/C19	2'728.00	2'532.96	H
ALP/XC-SW/C19	Alpha V2 XC Series - Power conditioners, power cable 1.75M Swiss/C19	2'728.00	2'532.96	H
ALP/XC-LEN	ALPHA V2 XC Series - Power conditioners, power cable, Additional Length 0,25 m.	138.00	128.13	H
SIG/XC-EU/C15	SIGMA V2 XC Series - Power conditioners, power cable 1.75M EU/C15	3'848.00	3'572.89	H
SIG/XC-SW/C15	SIGMA V2 XC Series - Power conditioners, power cable 1.75M Swiss/C15	3'848.00	3'572.89	H
SIG/XC-EU/C19	SIGMA V2 XC Series - Power conditioners, power cable 1.75M EU/C19	3'848.00	3'572.89	H
SIG/XC-SW/C19	SIGMA V2 XC Series - Power conditioners, power cable 1.75M Swiss/C19	3'848.00	3'572.89	H
SIG/XC-LEN	SIGMA V2 XC Series - Power conditioners, power cable, Additional Length 0,25 m.	188.00	174.56	H
OMG/XC-EU/C15	OMEGA V2 XC Series - Power conditioners, power cable 1.75M EU/C15	8'248.00	7'658.31	H
OMG/XC-EU/C19	OMEGA V2 XC Series - Power conditioners, power cable 1.75M EU/C19	8'248.00	7'658.31	H
OMG/XC-LEN	OMEGA V2 XC Series - Power conditioners, additional Length 0.25M	418.00	388.12	H

SHUNYATA
POWER DISTRIBUTORS
<http://shunyata.com/>



CODE ARTICLE	DESCRIPTION	PRIX TTC	PRIX HT CR	
Venom Line				
VNM-V6-EU/240	VENOM EU6 High performance Power Distributor with 6 x Schuko outlets	2'728.00	2'532.96	H
VNM-RM-V6	Option de plaque frontale de montage en rack pour le Venom V6 EU	178.00	165.27	H
Performance Series				
DEL/D6-EU/S/240	Hydra - Delta D6, 90-250 V, Silver, 6 Schuko	4'148.00	3'851.44	H
Reference Series				
DEN-D6S/B-EU/240	DENALI 6000/S v2 State-of-the-Art Power Conditioning in Convenient Component-Style Chassis with 6 x Schuko outlets, black (C19 Power Cord required)	7'128.00	6'618.38	H
DEN-D6S/S-EU/240	DENALI 6000/S v2 State-of-the-Art Power Conditioning in Convenient Component-Style Chassis with 6 x Schuko outlets, silver (C19 Power Cord required)	7'128.00	6'618.38	H
TYPHON T2 Black	Distributeurs de courant, 240VAC, 2 prises Schuko (CEE7), noir	6'528.00	6'061.28	H
TYPHON T2 Silver	Distributeurs de courant, 240VAC, 2 prises Schuko (CEE7), argenté	6'528.00	6'061.28	H
EVE-E8/B-EU/240	EVEREST Power distributor, 8x Schuko, black	11'748.00	10'908.08	H
EVE-E8/S-EU/240	EVEREST Power distributor, 8x Schuko, silver	11'748.00	10'908.08	H

SHUNYATA
INTERCONNECTS
<http://shunyata.com/>



CODE ARTICLE	DESCRIPTION	PRIX TTC	PRIX HT	CR
Venom Line - Cable pairs				
VNM-RCA-100	RCA Cable 1M, stereo	538.00	499.54	H
VNM-RCA-LEN	RCA Additional Length 0,25M, stereo	38.00	35.28	H
VNM-PHO-100	PHONO Cable 1M, stereo	718.00	666.67	H
VNM-PHO-LEN	PHONO Additional Length 0,25M, stereo	48.00	44.57	H
VNM-XLR-100	XLR Cable 1M, stereo	778.00	722.38	H
VNM-XLR-LEN	XLR Additional Length 0,25M, stereo	48.00	44.57	H
Venom-X Line - Cable pairs				
VNM-X-RCA-100	Venom-X RCA Cable 1M, stereo	1'178.00	1'093.78	H
VNM-X-RCA-LEN	Venom-X RCA Additional Length 0,25M, stereo	68.00	63.14	H
VNM-X-PHONO-100	Venom-X PHONO Cable 1M, stereo	1'488.00	1'381.62	H
VNM-X-PHO-LEN	Venom-X PHONO Additional Length 0,25M, stereo	88.00	81.71	H
VNM-X-XLR-100	Venom-X XLR Cable 1M, stereo	1'428.00	1'325.91	H
VNM-X-XLR-LEN	Venom-X XLR Additional Length 0,25M, stereo	78.00	72.42	H
Delta Line - Cable pairs				
DLT-RCA-V2-100	DELTA v2 RCA Cable 1M, stereo	1'778.00	1'650.88	H
DLT-RCA-LEN	RCA Additional Length 0,25M, stereo	88.00	81.71	H
DLT-PHO-V2-100	DELTA v2 RCA Phono Cable 1M	2'078.00	1'929.43	H
DLT-PHO-LEN	PHONO Additional Length 0,25M, stereo	108.00	100.28	H
DLT-XLR-V2-100	XLR Cable 1M, stereo	2'128.00	1'975.86	H
DLT-XLR-LEN	XLR Additional Length 0,25M, stereo	108.00	100.28	H
Alpha Line - Cable pairs				
ALP-RCA-V2-100	ALPHA v2 RCA Cable 1M, stereo	3'548.00	3'294.34	H
ALP-RCA-LEN	RCA Additional Length 0,25M, stereo	108.00	100.28	H
ALP-PHO-V2-100	ALPHA v2 RCA Phono Cable 1M, stereo	3'848.00	3'572.89	H
ALP-PHO-LEN	PHONO Additional Length 0,25M, stereo	118.00	109.56	H
ALP-XLR-V2-100	ALPHA v2 XLR Cable 1M, stereo	4'148.00	3'851.44	H
ALP-XLR-LEN	XLR Additional Length 0,25M, stereo	118.00	109.56	H
Sigma Line - Cable pairs				
SIG-RCA-V2-100	SIGMA v2 RCA Cable 1M, stereo	5'328.00	4'947.08	H
SIG-RCA-LEN	RCA Additional Length 0,25M, stereo	118.00	109.56	H

SIG-PHO-V2-100	SIMGA v2 RCA Phono Cable 1M, stereo	5'628.00	5'225.63	H
SIG-PHO-LEN	PHONO Additional Length 0,25M, stereo	138.00	128.13	H
SIG-XLR-V2-100	XLR Cable 1M, stereo	5'928.00	5'504.18	H
SIG-XLR-LEN	XLR Additional Length 0,25M, stereo	138.00	128.13	H

SHUNYATA

SPEAKER CABLES

<http://shunyata.com/>



CODE ARTICLE	DESCRIPTION	PRIX TTC	PRIX HT	CR
Venom Line				
VNM-SP-200	Venom Speaker Cable, Standard (Single Wire), 2.0M (Terminations required for the amplifier end and for the speaker end), stereo	1'178.00	1'093.78	H
VNM-SP-250	Venom Speaker Cable, Standard (Single Wire), 2.5M (Terminations required for the amplifier end and for the speaker end), stereo	1'288.00	1'195.91	H
VNM-SP-LEN	Venom Speaker Additional Length 0.25M, stereo	58.00	53.85	H
VNM-SP/BI-200	Venom Speaker Cable, Biwire, 2.0M (Terminations required for the amplifier end and for the speaker end), stereo	1'418.00	1'316.62	H
VNM-SP/BI-250	Venom Speaker Cable, Biwire, 2.5M (Terminations required for the amplifier end and for the speaker end), stereo	1'518.00	1'409.47	H
VNM-SP/BI-LEN	Venom Speaker Biwire Additional Length 0.25M, stereo	58.00	53.85	H
VNM-JMP-025	Venom Jumpers Speaker Cable, Standard (Single Wire), 0.25M (Terminations required for both ends), stereo	418.00	388.12	H
VNM-JMP-LEN	Venom Jumpers Speaker Additional Length 0.25M, stereo	58.00	53.85	H
Venom-X Line				
VNM-X-SP-200	Venom-X câble de haut-parleur standard (monofil), 2.0M (terminaisons requises pour l'extrémité de l'amplificateur et pour l'extrémité du haut-parleur), stéréo	2'378.00	2'207.99	H
VNM-X-SP-250	Venom-X câble de haut-parleur standard (monofil), 2.5M (terminaisons requises pour l'extrémité de l'amplificateur et pour l'extrémité du haut-parleur), stéréo	2'548.00	2'365.83	H
VNM-X-SP-LEN	Venom-X Speaker Additional Length 0.25M, stereo	88.00	81.71	H
VNM-X-SP/BI-200	Venom-X Câble de haut-parleur, Biwire, 2.0M (Terminaisons requises pour l'extrémité de l'amplificateur et pour l'extrémité du haut-parleur), stéréo	2'948.00	2'737.23	H
VNM-X-SP/BI-250	Venom-X Câble de haut-parleur, Biwire, 2.5M (Terminaisons requises pour l'extrémité de l'amplificateur et pour l'extrémité du haut-parleur), stéréo	3'148.00	2'922.93	H
VNM-X-SP/BI-LEN	Venom-X Speaker Biwire Additional Length 0.25M, stereo	108.00	100.28	H
VNM-X-JMP-025	Venom-X Jumpers Speaker Cable, Standard (Single Wire), 0.25M (Terminations required for both ends), stereo	718.00	666.67	H
VNM-X-JMP-LEN	Venom-X Jumpers Speaker Additional Length 0.25M, stereo	88.00	81.71	H
Delta Line				
DLT-SP-V2-200	Delta v2 Speaker Cable, Standard (Single Wire), 2.0M (Terminations required for the amplifier end and for the speaker end), stereo	3'548.00	3'294.34	H
DLT-SP-V2-250	Delta v2 Speaker Cable, Standard (Single Wire), 2.5M (Terminations required for the amplifier end and for the speaker end), stereo	3'798.00	3'526.46	H
DLT-SP-LEN	Delta Speaker Additional Length 0.25M, stereo	128.00	118.85	H
DLT-SP/BI-V2-200	Delta v2 Speaker Cable, Biwire, 2.0M (Terminations required for the amplifier end and for the speaker end), stereo	4'148.00	3'851.44	H
DLT-SP/BI-V2-250	Delta v2 Speaker Cable, Biwire, 2.5M (Terminations required for the amplifier end and for the speaker end), stereo	4'428.00	4'111.42	H
DLT-SP/BI-LEN	Delta Speaker Biwire Additional Length 0.25M, stereo	138.00	128.13	H
DLT-JMP-V2-025	Delta Jumpers Speaker Cable, Standard (Single Wire), 0.25M (Terminations required for both ends), stereo	948.00	880.22	H
DLT-JMP-LEN	Delta Jumpers Speaker Additional Length 0.25M, stereo	128.00	118.85	H

Alpha Line

ALP-SP-V2-200	Alpha v2 Speaker Cable, Standard (Single Wire), 2.0M (Terminations required for the amplifier end and for the speaker end), stereo	5'928.00	5'504.18	H
ALP-SP-V2-250	Alpha v2 Speaker Cable, Standard (Single Wire), 2.5M (Terminations required for the amplifier end and for the speaker end), stereo	6'428.00	5'968.43	H
ALP-SP-LEN	Alpha Speaker Additional Length 0.25M, stereo	248.00	230.27	H
ALP-SP/BI-V2-200	Alpha v2 Speaker Cable, Biwire, 2.0M (Terminations required for the amplifier end and for the speaker end), stereo	7'118.00	6'609.10	H
ALP-SP/BI-V2-250	Alpha v2 Speaker Cable, Biwire, 2.5M (Terminations required for the amplifier end and for the speaker end), stereo	7'648.00	7'101.21	H
ALP-SP/BI-LEN	Alpha Speaker Biwire Additional Length 0.25M, stereo	258.00	239.55	H
ALP-JMP-V2-025	Alpha Jumpers Speaker Cable, Standard (Single Wire), 0.25M (Terminations required for both ends), stereo	1'178.00	1'093.78	H
ALP-JMP-LEN	Alpha Jumpers Speaker Additional Length 0.25M, stereo	248.00	230.27	H

Sigma Line

SIG-SP-V2-200	Sigma v2 Speaker Cable, Standard (Single Wire), 2.0M (Terminations required for the amplifier end and for the speaker end), stereo	11'798.00	10'954.50	H
SIG-SP-V2-250	Sigma v2 Speaker Cable, Standard (Single Wire), 2.5M (Terminations required for the amplifier end and for the speaker end), stereo	12'548.00	11'650.88	H
SIG-SP-LEN	Sigma Speaker Additional Length 0.25M, stereo	378.00	350.97	H
SIG-SP/BI-V2-200	Sigma v2 Speaker Cable, Biwire, 2.0M (Terminations required for the amplifier end and for the speaker end), stereo	14'228.00	13'210.77	H
SIG-SP/BI-V2-250	Sigma v2 Speaker Cable, Biwire, 2.5M (Terminations required for the amplifier end and for the speaker end), stereo	15'128.00	14'046.43	H
SIG-SP/BI-LEN	Sigma Speaker Biwire Additional Length 0.25M, stereo	448.00	415.97	H
SIG-JMP-V2-025	Sigma Jumpers Speaker Cable, Standard (Single Wire), 0.25M (Terminations required for both ends), stereo	1'778.00	1'650.88	H
SIG-JMP-LEN	Sigma Jumpers Speaker Additional Length 0.25M, stereo	378.00	350.97	H

SHUNYATA
DIGITAL CABLES
<http://shunyata.com/>



CODE ARTICLE	DESCRIPTION	PRIX TTC	PRIX HT	CR
Venom Line				
VNM-AES-100	AES/EBU Cable 1M	418.00	388.12	H
VNM-AES-LEN	AES/EBU Additional Length 0,25M	28.00	26.00	H
VNM-SDF-100	S/PDIF Cable 1M	418.00	388.12	H
VNM-SDF-LEN	S/PDIF Additional Length 0,25M	38.00	35.28	H
VNM-ETH-150	Venom Ethernet 1,5 m	538.00	499.54	H
VNM-ETH-LEN	Venom Ethernet additional lenght 0,25m	18.00	16.71	H
Venom-X Line				
VNM-X-AES-100	Venom-X AES/EBU Cable 1M	718.00	666.67	H
VNM-X-AES-LEN	Venom-X AES/EBU Additional Length 0,25M	48.00	44.57	H
VNM-X-SDF-100	Venom-X S/PDIF Cable 1M	598.00	555.25	H
VNM-X-SDF-LEN	Venom-X S/PDIF Additional Length 0,25M	38.00	35.28	H
VNM-X-CLC/75-100	Venom-X CLOCK-75 Cable 1M	718.00	666.67	H
VNM-X-CLC/75-LEN	Venom-X CLOCK 75 Additional Length 0,25M	38.00	35.28	H
VNM-X-USB-150	USB Cable 1.50M	718.00	666.67	H
VNM-X-USB-LEN	USB Cable, additional length 0.25m	58.00	53.85	H
VNM-X-ETH-150	Venom-X Ethernet 1,5 m	598.00	555.25	H
VNM-X-ETH-LEN	Venom-X Ethernet additional lenght 0,25m	38.00	35.28	H
Delta Line				
DLT-AES-V2-100	DELTA v2 AES/EBU Cable 1M	1'068.00	991.64	H
DLT-AES-LEN	AES/EBU Additional Length 0,25M	58.00	53.85	H
DLT-SDF-V2-100	DELTA v2 S/PDIF Cable 1M	888.00	824.51	H
DLT-SDF-LEN	S/PDIF Additional Length 0,25M	48.00	44.57	H
DLT-CLC/50-V2-100	DELTA v2 Digital Cable, Clock-50, 1M	998.00	926.65	H
DLT-CLC/50-LEN	DELTA v2 Digital Cable, Clock-50, Additional Length 0,25 m.	68.00	63.14	H
DLT-CLC/75-V2-100	DELTA v2 Digital Cable, Clock-75, 1M	888.00	824.51	H
DLT-CLC/75-LEN	DELTA v2 Digital Cable, Clock-75, Additional Length 0,25 m.	48.00	44.57	H
DLT-USB-150	Câbel USB Shunyata DELTA, 1.5m	888.00	824.51	H
DLT-USB-LEN	Câbel USB Shunyata DELTA, longueur additionnelle	68.00	63.14	H
DLT-ETH-150	Delta Ethernet 1,5M	998.00	926.65	H
DLT-ETH-LEN	Delta Ethernet, Additional Length 0.25M	38.00	35.28	H

Alpha Line

ALP-AES-V2-V2-100	ALPHA v2 AES/EBU Cable 1M	2'078.00	1'929.43	H
ALP-AES-LEN	AES/EBU Additional Length 0,25M	68.00	63.14	H
ALP-SDF-V2-100	ALPHA v2 S/PDIF Cable 1M	1'768.00	1'641.60	H
ALP-SDF-LEN	S/PDIF Additional Length 0,25M	58.00	53.85	H
ALP-CLC/50-V2-100	ALPHA v2 CLOCK 50, Cable 1M	1'898.00	1'762.30	H
ALP-CLC/50-LEN	CLOCK 50 Additional Length 0,25M	68.00	63.14	H
ALP-CLC/75-V2-100	ALPHA v2 CLOCK 75 Cable 1M	1'768.00	1'641.60	H
ALP-CLC/75-LEN	CLOCK 75 Additional Length 0,25M	58.00	53.85	H
ALP-USB-150	USB Cable 1,5M	2'138.00	1'985.14	H
ALP-USB-LEN	USB Additional Length 0,25M	138.00	128.13	H
ALP-ETH-150	Alpha Ethernet 1,5M	1'488.00	1'381.62	H
ALP-ETH-LEN	Alpha Ethernet additional length 0,25M	38.00	35.28	H

Sigma Line

SIG-AES-V2-100	SIGMA v2 AES/EBU, Cable 1M	2'958.00	2'746.52	H
SIG-AES-LEN	AES/EBU Additional Length 0,25M	68.00	63.14	H
SIG-SDF-V2-100	SIGMA v2 S/PDIF Cable 1M	2'668.00	2'477.25	H
SIG-SDF-LEN	S/PDIF Additional Length 0,25M	68.00	63.14	H
SIG-CLC/50-V2-100	SIGMA v2 CLOCK 50, Cable 1M	2'898.00	2'690.81	H
SIG-CLC/50-LEN	CLOCK 50 Additional Length 0,25M	78.00	72.42	H
SIG-CLC/75-V2-100	SIGMA v2 CLOCK 75, Cable 1M	2'668.00	2'477.25	H
SIG-CLC/75-LEN	CLOCK 75 Additional Length 0,25M	68.00	63.14	H
SIG-USB-150	Sigma USB Cable 1,5M	2'958.00	2'746.52	H
SIG-USB-LEN	USB Additional Length 0,25M	158.00	146.70	H
SC-SIG-ETH-150	Sigma Ethernet 1,5M	2'368.00	2'198.70	H
SC-SIG-ETH-LEN	Sigma Ethernet additional length 0,25M	38.00	35.28	H

Omega Line

OMG-AES-125	Câble Shunyata OMEGA AES/EBU, 1.25m	5'628.00	5'225.63	H
OMG-AES-LEN	Longueur additionnelle Shunyata OMEGA câble AES/EBU, 0,25M	268.00	248.84	H
OMG-SDF-125	Câble Shunyata OMEGA AES/EBU, 1.25m	5'328.00	4'947.08	H
OMG-SDF-LEN	Longueur additionnelle Shunyata OMEGA câble S/PDIF, 0,25M	178.00	165.27	H
OMG-CLC/50-125	Câble Shunyata OMEGA CLOCK-50, 1.25m	5'568.00	5'169.92	H
OMG-CLC/50-LEN	Longueur additionnelle Shunyata OMEGA câble CLOCK-50, 0,25M	208.00	193.13	H
OMG-CLC/75-125	Câble Shunyata OMEGA CLOCK-75, 1.25m	5'328.00	4'947.08	H
OMG-CLC/75-LEN	Longueur additionnelle Shunyata OMEGA câble CLOCK-75, 0,25M	178.00	165.27	H

OMG-USB-150	Câble Shunyata OMEGA USB, 1.5m	4'148.00	3'851.44	H
OMG-USB-LEN	Longueur additionnelle Shunyata OMEGA câble USB, 0,25M	168.00	155.99	H
OMG-ETH-150	Omega Ethernet 1,5 m.	3'558.00	3'303.62	H
OMG-ETH-LEN	Omega Ethernet, Additional Length / 0,25 m.	38.00	35.28	H

SHUNYATA**ACCESSORIES**<http://shunyata.com/>

CODE ARTICLE	DESCRIPTION	PRIX TTC	PRIX HT	CR
Dark Field Suspension				
DFSS-PK3	DFSS Dark Field Suspension System, cable-isolation device, set of 3	528.00	490.25	H
DFE-PK12	Mini Dark Field Elevators, set of 12	178.00	165.27	H
Stainless Steel Isolation Foot				
SSF38S	Stainless Foot 38mm, set of 4	538.00	499.54	H
SSF50	Stainless Foot 50mm	648.00	601.67	H
STIS v3 Terminal				
TM-STIS/SP-V3	STIS v3 Terminal Spade 6-8mm (Combo spades accept a range of post diameters from 6mm to 8mm)	48.00	44.57	H
TM-STIS/CSP-V3	STIS v3 Terminal Spade 4-6mm (Combo spades accept a range of post diameters from 4mm to 6mm)	38.00	35.28	H
TM-STIS/BN-V3	STIS v3 Terminal Banana	48.00	44.57	H
Venom V14 Mini Power Cable Adapters				
VNM/M-V14-C14/C5	C14 - C5 Adapter	88.00	81.71	H
VNM/M-V14-C14/C7	C14 - C7 Adapter	88.00	81.71	H
VNM/M-V14-C14/C7P	C14 - C7P Adapter	88.00	81.71	H
Power Cable Adapter				
ADP-C14/C13	C14 - C13 Adapter	68.00	63.14	H
ADP-C14/C19	C14 - C19 Adapter	298.00	276.69	H
ADP-C20/C15	C20 - C15 Adapter	328.00	304.55	H

SHUNYATA

GROUND CABLES

<http://shunyata.com/>



CODE ARTICLE	DESCRIPTION	PRIX TTC	PRIX HT CR	
Altaira Ground Systems - Noise Reduction Hubs				
Altaira CG-NR	Altaira CG-NR Hub 6 Grounding posts (CGC) - Chassis ground center	3'558.00	3'303.62	H
Altaira SG-NR	Altaira SG-NR Hub 6 grounding posts (SGC) - Signal ground center	3'558.00	3'303.62	H
Ground Cable Base				
VNMGRDBASE	Venom Ground Cable Base 1.m, includes two STIS v3 terminals : a banana and a spade	298.00	276.69	H
VNMGRDLEN	Venom Ground Cable, additional length 0.25m	28.00	26.00	H
DLTGRDBASE	Delta Ground Cable Base 1.m, includes two STIS v3 terminals : a banana and a spade	358.00	332.40	H
DLTGRDLEN	Delta Ground Cable, additional length 0.25m	38.00	35.28	H
ALPGRDBASE	Alpha Ground Cable Base 1.m, includes two STIS v3 terminals : a banana and a spade	478.00	443.83	H
ALPGRDLEN	Alpha Ground Cable, additional length 0.25m	48.00	44.57	H
SIGGRDBASE	Sigma Ground Cable Base 1.m, includes two STIS v3 terminals : a banana and a spade	598.00	555.25	H
SIGGRDLEN	Sigma Ground Cable, additional length 0.25m	58.00	53.85	H
OMGRDBASE	Omega Ground Cable Base 1.m, includes two STIS v3 terminals : a banana and a spade	958.00	889.51	H
OMGRDLEN	Omega Ground Cable, additional length 0.25m	88.00	81.71	H
VTX Ground Tail				
VTXGRDTRLCA	VTX RCA Ground Tail, exclusive for flexible hollow tubes, length 101mm	298.00	276.69	H
VTXGRDTLXLR	VTX XLR/F Ground Tail, exclusive for flexible hollow tubes, length 101mm	298.00	276.69	H
VTXGRDTLXLRM	VTX XLR/M Ground Tail, exclusive for flexible hollow tubes, length 101mm	298.00	276.69	H
VTXGRDTLBNC	VTX BNC Ground Tail, exclusive for flexible hollow tubes, length 101mm	298.00	276.69	H
VTXGRDTLETH	VTX Ethernet Ground Tail, exclusive for flexible hollow tubes, length 101mm	298.00	276.69	H
VTXGRDTLUSBA	VTX USB/A Ground Tail, exclusive for flexible hollow tubes, length 101mm	298.00	276.69	H
VTXGRDTLUSBB	VTX USB/B Ground Tail, exclusive for flexible hollow tubes, length 101mm	298.00	276.69	H
VTX-Ag Ground Tail				
VTXAGGRDTRLCA	VTX-Ag RCA Ground Tail, made with a pure silver core and a concentric conductor of OFE copper, length 101mm	358.00	332.40	H
VTXAGGRDTLXLR	VTX-Ag XLR/F Ground Tail, made with a pure silver core and a concentric conductor of OFE copper, length 101mm	358.00	332.40	H
VTXAGGRDTLXLRM	VTX-Ag XLR/M Ground Tail, made with a pure silver core and a concentric conductor of OFE copper, length 101mm	358.00	332.40	H
VTXAGGRDTLBNC	VTX-Ag BNC Ground Tail, made with a pure silver core and a concentric conductor of OFE copper, length 101mm	358.00	332.40	H
VTXAGGRDTLETH	VTX-Ag Ethernet Ground Tail, made with a pure silver core and a concentric conductor of OFE copper, length 101mm	358.00	332.40	H

VTXAGGRDTLUSBA	VTX-Ag USB/A Ground Tail, made with a pure silver core and a concentric conductor of OFE copper, length 101mm	358.00	332.40	H
VTXAGGRDTLUSBB	VTX-Ag USB/B Ground Tail, made with a pure silver core and a concentric conductor of OFE copper, length 101mm	358.00	332.40	H
VTXAGGRDTLACEU	VTX-Ag Wall Plug (EU) Ground Tail, made with a pure silver core and a concentric conductor of OFE copper, length 101mm	68.00	63.14	H

DISPONIBILITE DES NOUVEAUX PRODUITS

Les produits avec label **new!** sont des produits nouveaux pour lesquels les délais de livraison peuvent être importants. Merci de vous renseigner sur leur disponibilité avant de les proposer à vos clients.

VALIDITE DES PRIX

Les variations importantes des cours de change entre le franc suisse et les principales devises ne nous permettent plus de garantir nos prix au delà de 30 jours. Nous nous réservons le droit d'adapter nos prix en tout temps et sans préavis. En cas de doute, vous pouvez consulter notre site internet <http://www.decibel.ch> ou nous demander une offre.