

# **CS 3082**

# COLUMN SPEAKER SLIM LINE

#### **DESCRIPTION**

CS 3082 is formed in an ultra slimline design offering minimal visual impact. Easy installation can be achieved with either the supplied 'L' shaped wall brackets or the optional AC WM-CS swivel bracket, which allows the installer to angle the speaker to suit. The new CS Slimline Columns have been optimised for speech reproduction using extended range 2 inch speakers and 1 inch tweeters.



#### **FEATURES**

- Ideal for speech reproduction, shape designed to enable corner installation
- Music power/RMS: 60/30W
- Eight 50 mm (2") diameter extended range speakers and two tweeter 25 mm (1")
- Body in extruded aluminium bake-painted RAL 9016 White and front metal grille RAL 9016 White, includes accessory for wall mounting
- Built-in multi-tapped transformer (30 20 10 W) for 100 V constant voltage connection
- 8 Ohm input that can be selected on the terminal block
- Audio connection on screw terminal block

Rev. H Last update: 09/05/2023



#### **TECHNICAL SPECIFICATIONS**

Acoustical specifications	Frequency Response (-10dB):	200 Hz ÷ 20000 Hz
	Max SPL @ 1m:	106 dB
	Horizontal coverage angle:	180°
	Vertical coverage angle:	30°
	System Sensitivity:	91 dB
Power section	Nominal Impedance:	8 ohm
	Power Handling:	30 W RMS
	Peak Power Handling:	120 W PEAK
	Recommended Amplifier:	60 W
Transducers	Dome Tweeter:	2 x 1.0"
	Woofer:	8 x 2.0"
Input/Output section	Input connectors:	Screw Terminals
	Output connectors:	Screw Terminals
	Constant Voltage Transformer:	100 V
	Power selection 1:	30 W - 333 ohm
	Power selection 2:	20 W - 500 ohm
	Power selection 3:	10 W - 1000 ohm
Standard compliance	Safety agency:	CE compliant
Physical specifications	Cabinet/Case Material:	Aluminium
	Hardware:	Wall mount bracket
	Grille:	Steel
	Color:	White - RAL 9016
Size	Height:	670 mm / 26.38 inches
	Width:	78 mm / 3.07 inches
	Depth:	66 mm / 2.6 inches
	Weight:	2.7 kg / 5.95 lbs
Shipping information	Package Height:	700 mm / 27.56 inches
	Package Width:	140 mm / 5.51 inches
	Package Depth:	135 mm / 5.31 inches
	Package Weight:	3.4 kg / 7.5 lbs

#### **PART NUMBER**

• 13000232


CS 3082


EAN 8024530006860



## **DRAWINGS**









### **ACCESSORIES**



WALL MOUNT BRACKET AC WM-CS 2X CS3041/CS3082

PART NUMBER

13360206

EAN:

8024530007614