


HVL 15-S

BANDPASS SUBWOOFER SYSTEM

DESCRIPTION

HVL 15-S is a double 15" subwoofer system for long-throw applications, outfitted with 2 x 15" woofers. Equipped with the latest generation of RCF precision transducers with powerful neodymium magnets, HVL 15-S provides very high output and accurate sound reproduction. The system can produce a max SPL of 133 dB, handling 3000 W. The enclosure is trapezoidal with a coupling angle of 15°. The cabinet is made of Baltic birch plywood, and the finishing is a waterproof, textured, polyurea coating. A heavy-duty, weatherproof barrier strip provides connections. The grille is in epoxy coated heavy-duty steel with open-cell fibers and water repellent woven-fabric backing.



FEATURES

- 3000 W power handling
- 133 dB max SPL
- 33 ÷ 180 Hz frequency range
- 2 x 15" high-power woofers
- Symmetric design
- Baltic birch plywood cabinet and steel grille
- Weatherproof treatment

TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB):	33 Hz ÷ 180 Hz
	Frequency Response (-3dB):	40 Hz ÷ 150 Hz
	Max SPL @ 1m:	133 dB
	System Sensitivity:	97 dB
Power section	Amplification:	Full Range
	Nominal Impedance:	8 ohm
	Power Handling:	3000 W
	Peak Power Handling:	12000 W PEAK
	Recommended Amplifier:	6000 W
Transducers	Woofers:	2 x 15", 4.0" v.c
Input/Output section	Input connectors:	Screw Terminals
	Output connectors:	Screw Terminals
Standard compliance	Safety agency:	CE compliant
Physical specifications	Cabinet/Case Material:	Baltic birch plywood
	Hardware:	n° 8 x M20 on each side panel n° 8 x M20 on top and bottom panel
	Grille:	Steel
	Color:	White - RAL 9010, Black - RAL 9005
Size	Height:	525 mm / 20.67 inches
	Width:	1380 mm / 54.33 inches
	Depth:	734 mm / 28.9 inches
	Weight:	110 kg / 242.51 lbs
Shipping information	Package Height:	840 mm / 33.07 inches
	Package Width:	1405 mm / 55.31 inches
	Package Depth:	545 mm / 21.46 inches
	Package Weight:	120 kg / 264.55 lbs

PART NUMBER

- **13000705**
HVL 15-S W

EAN 8024530018719

