



SD 6/4

SIGNAL DISTRIBUTION BOX



Description SD 6/4 is an input signal box that distributes the signals from S-COM 19 connector or the six female XLR connectors on the front panel to ten male XLRs on the back panel. Inputs 1 and 2 are respectively paralleled to three XLR connectors on the back panel. The four AES/EBU IN/OUT connectors are linked to the back panel.

- Features**
- › 6 Channels signal distributor
 - › S-COM 19 Input / Link
 - › 6 female XLR inputs on the front panel
 - › 10 male XLRs outputs on the back panel
 - › Inputs 1 and 2 paralleled to three XLR connectors on the back panel
 - › Four AES/EBU IN/OUT connectors linked to the back panel
 - › 1RU Rackmount chassis

Part Number 17100019 SD 6/4 Black EAN 8024530021016



SD 6/4

SIGNAL DISTRIBUTION BOX

General specifications

Front connectors:

- 1x Analog input 6 channel connector (S-COM 19 pin)
- 1x Analog Link 6 channel connector (S-COM 19 pin)
- 6x Analog XLR input connector (female XLR 3 pin)
- 2x AES input (female XLR 3 pin)
- 2x AES output (male XLR 3 pin)

Rear connectors:

- 3x Analog XLR output connector (male XLR 3 pin)
- 3x Analog XLR output connector (male XLR 3 pin)
- 4x Analog XLR output connector (male XLR 3 pin)
- 2x AES output (male XLR 3 pin) - LINK
- 2x AES input (female XLR 3 pin) - LINK

Standard compliance

Safety agency:

CE compliant

Physical specifications

Color:

Black

Rack mounting:

19", 1U

Size

Height:

44 mm / 1.73 inches

Width:

480 mm / 18.9 inches

Depth:

370 mm / 14.57 inches

Weight:

3.5 kg / 7.72 lbs

Line Art 2D

